

Author Index

- Abe, H., see Kugimiya, A. 75
- Aburatani, M., see Kugimiya, A. 75
- Aizawa, K.
— and Gantt, E.
Rapid method for assay of quantitative binding of soluble proteins and photosynthetic membrane proteins on poly-(vinylidene difluoride) membranes 109
- Aizawa, K., see Awazu, K. 193
- Akiyama, M., see Kobayashi, M. 199
- Akizawa, T., see Darwish, I. 121
- Akizawa, T., see Hirose, K. 129, 137
- Al-Dirbashi, O.
—, Kuroda, N. and Nakashima, K.
Characterization of the fluorescence properties of 4-fluoro-7-nitrobenzo-2-oxa-1,3-diazole derivatives of some primary and secondary sympathomimetic amines 169
- Amesz, J., see Kobayashi, M. 199
- Aoki, T., see Sugawara, Y. 293
- Arai, F., see Morishima, K. 273
- Arai, K.
—, Kusu, F. and Takamura, K.
Electrical potential oscillation across a water/octanol/water liquid membrane in the presence of two taste substances 279
- Asada, K., see Hirose, K. 137
- Asaeda, A.
—, Ide, H., Terato, H., Takamori, Y. and Kubo, K.
Highly sensitive assay of DNA abasic sites in mammalian cells—optimization of the aldehyde reactive probe method 35
- Asakawa, N., see Shikata, Y. 241
- Asami, O., see Tajima, I. 147
- Asoh, Y., see Nabuchi, Y. 301
- Awazu, K.
—, Nagai, A., Tomimasu, T. and Aizawa, K.
Analysis of free-electron laser-induced infrared multiphoton dissociation for cholesterol ester 193
- Azuma, T., see Ozawa, K. 3
- Belyaev, N.D., see Wako, T. 9
- Chiba, A., see Fauzi, H. 309
- Darwish, I.
—, Akizawa, T., Hirose, K., Omura, K., EL-Rabbat, N. and Yoshioka, M.
Preparation of a specific monoclonal antibody against 2'-deoxycytidine 121
- Date, Y., see Kohashi, K. 177
- EL-Rabbat, N., see Darwish, I. 121
- Fauzi, H.
—, Chiba, A., Nishikawa, F., Roy, M., Kawakami, J. and Nishikawa, S.
Minimization of genomic human hepatitis delta virus ribozyme 309
- Fujii, N., see Kobayashi, T. 81
- Fujii, T., see Sugawara, Y. 293
- Fujino, K., see Ishida, J. 227
- Fujisawa, T., see Yoshikawa, M. 59
- Fujiwara, E., see Nabuchi, Y. 301
- Fukano, Y., see Ozawa, K. 3
- Fukuda, M., see Wako, T. 9
- Fukuda, T., see Morishima, K. 273
- Fukui, K., see Wako, T. 9
- Furushima-Shimogawara, R., see Wako, T. 9
- Gantt, E., see Aizawa, K. 109
- Hamano, T., see Kobayashi, M. 199
- Hara, C., see Sugawara, Y. 293
- Hashimoto, A., see Shikata, Y. 241
- Hashimoto, T., see Kurosawa, T. 249
- Hayashi, H., see Ozawa, K. 3
- Hayashi, M., see Terato, H. 183
- Hayashi, Y., see Higashi, T. 151
- Hayashi, Y., see Shikata, Y. 241
- Higashi, T.
—, Kobayashi, N., Ohmi, H., Hayashi, Y. and Shimada, K.
Enzyme-linked immunosorbent assay for plasma 24,25-dihydroxyvitamin D₃ 151
- Hirose, K.
—, Akizawa, T. and Yoshioka, M.
Preparation of monoclonal antibody against D-3-methoxy-4-hydroxyphenylglycol 129
- Hirose, K.
—, Akizawa, T., Asada, K., Tanaka, Y., Negoro, Y. and Yoshioka, M.
Syntheses of antigens conjugated with 3-methoxy-4-hydroxyphenylglycol by Mannich reaction for enzyme immunoassay 137
- Hirose, K., see Darwish, I. 121
- Hisamatsu, S., see Sonoki, S. 213

- Ide, H., see Asaeda, A. 35
Ide, H., see Terato, H. 183
Ihara, T.
—, Takata, J. and Takagi, M.
Novel method of detecting mismatch on DNA by using photo-induced electron transfer through DNA 49
Ihara, T., see Sueda, S. 27
Inoue, H.
—, Kohashi, K. and Tsuruta, Y.
Simultaneous determination of serum and urinary hydroxyproline and proline by liquid chromatography using two fluorescent labeling reagents 219
Inoue, K., see Kobayashi, M. 199
Inoue, K., see Kurosawa, T. 249
Ishida, J.
—, Yoshitake, T., Fujino, K., Kawano, K., Kehr, J. and Yamaguchi, M.
Serotonin monitoring in microdialysate from rat brain by microbore-liquid chromatography with fluorescence detection 227
Izumi, J., see Yoshikawa, M. 59
Juskowiak, B., see Sueda, S. 27
Kai, M., see Ohba, Y. 233
Kamei, T.
—, Tsuda, T., Kitagawa, S., Naitoh, K., Nakashima, K. and Ohhashi, T.
Physical stimuli and emotional stress-induced sweat secretions in the human palm and forehead 319
Kamei, T.
—, Tsuda, T., Mibu, Y., Kitagawa, S., Wada, H., Naitoh, K. and Nakashima, K.
Novel instrumentation for determination of ethanol concentrations in human perspiration by gas chromatography and a good interrelationship between ethanol concentrations in sweat and blood 259
Kamiya, K., see Matsuda, Y. 55
Kano, T., see Umeno, D. 101
Karube, I., see McNiven, S. 69
Katayama, Y.
—, Takahashi, S. and Maeda, M.
Design, synthesis and characterization of a novel fluorescent probe for nitric oxide (nitrogen monoxide) 159
Kato, M., see McNiven, S. 69
Kawakami, J.
—, Kawase, Y. and Sugimoto, N.
In vitro selection of aptamers that recognize a monosaccharide 95
Kawakami, J., see Fauzi, H. 309
Kawano, K., see Ishida, J. 227
Kawasaki, S.
—, Nagaoka, T., Saisho, Y., Morimoto, A. and Umeda, T.
Determination of mevalonic acid in human urine by liquid chromatography with precolumn derivatization and fluorescence detection 205
Kawase, Y., see Kawakami, J. 95
Kehr, J., see Ishida, J. 227
Khademzadeh, M., see Tamura, A. 115
Kinjo, M.
Quantitative analysis by the polymerase chain reaction using fluorescence correlation spectroscopy 43
Kise, H., see Kobayashi, M. 199
Kitagawa, S., see Kamei, T. 259, 319
Kitao, T., see Yoshikawa, M. 59
Kobayashi, M.
—, Hamano, T., Akiyama, M., Watanabe, T., Inoue, K., Oh-oka, H., Ames, J., Yamamura, M. and Kise, H.
Light-independent isomerization of bacteriochlorophyll *g* to chlorophyll *a* catalyzed by weak acid in vitro 199
Kobayashi, N., see Higashi, T. 151
Kobayashi, T.
—, Ying Wang, H. and Fujii, N.
Molecular imprint membranes of polyacrylonitrile copolymers with different acrylic acid segments 81
Kohashi, K.
—, Date, Y., Morita, M. and Tsuruta, Y.
Fluorescence reaction of bilirubin with zinc ion in dimethyl sulfoxide and its application to assay of total bilirubin in serum 177
Kohashi, K., see Inoue, H. 219
Koide, A., see Shikata, Y. 241
Kubo, K., see Asaeda, A. 35
Kuboniwa, H., see Nabuchi, Y. 301
Kugimiya, A.
—, Matsui, J., Abe, H., Aburatani, M. and Takeuchi, T.
Synthesis of castasterone selective polymers prepared by molecular imprinting 75
Kuroda, N., see Al-Dibbashi, O. 169
Kurosawa, T.
—, Sato, M., Inoue, K., Yoshimura, T., Tohma, M., Ling Jiang, L. and Hashimoto, T.
Separation of stereoisomers of C₂₇-bile acid CoA esters by liquid chromatography and its application to the study of the stereospecificities of D- and L-bifunctional proteins in bile acid biosynthesis 249
Kusu, F., see Arai, K. 279
Kuwada, M., see Shikata, Y. 241
Levi, R., see McNiven, S. 69
Lin, J., see Sonoki, S. 213
Ling Jiang, L., see Kurosawa, T. 249
Maeda, M., see Katayama, Y. 159
Maeda, M., see Umeno, D. 101
Mackawa, K., see Tanimoto, T. 285
Masujima, T., see Ozawa, K. 3
Masujima, T., see Sugawara, Y. 293
Masujima, T., see Tamura, A. 115
Masumoto, Y., see Ozawa, K. 3
Matsuda, Y.
—, Kamiya, K. and Uchida, K.
Prediction of an antisense-effective target site on VEGFmRNA by using RNase H and a library of random oligonucleotides 55

- Matsui, J.
—, Nicholls, I.A. and Takeuchi, T.
Molecular recognition in cinchona alkaloid molecular imprinted polymer rods 89
- Matsui, J., see Kugimiya, A. 75
- Matsuura, H., see Morishima, K. 273
- McNiven, S.
—, Kato, M., Levi, R., Yano, K. and Karube, I.
Chloramphenicol sensor based on an in-situ imprinted polymer 69
- Mibu, Y., see Kamei, T. 259
- Miyazaki, J., see Ozawa, K. 3
- Morimoto, A., see Kawasaki, S. 205
- Morishima, K.
—, Arai, F., Fukuda, T., Matsuura, H. and Yoshikawa, K.
Screening of single *Escherichia coli* in a microchannel system by electric field and laser tweezers 273
- Morita, M., see Kohashi, K. 177
- Nabuchi, Y.
—, Fujiwara, E., Kuboniwa, H., Asoh, Y. and Ushio, H.
Kinetic study of methionine oxidation in human parathyroid hormone 301
- Nagai, A., see Awazu, K. 193
- Nagaoka, T., see Kawasaki, S. 205
- Naitoh, K., see Kamei, T. 259, 319
- Nakamura, K.
— and Sugawara, Y.
Fine separation of protein isoforms with alternative development in two-dimensional electrophoresis 267
- Nakamura, K., see Sugawara, Y. 293
- Nakashima, K., see Al-Dirbashi, O. 169
- Nakashima, K., see Kamei, T. 259, 319
- Negoro, Y., see Hirose, K. 137
- Nicholls, I.A., see Matsui, J. 89
- Nishikawa, F., see Fauzi, H. 309
- Nishikawa, S., see Fauzi, H. 309
- Oh-oka, H., see Kobayashi, M. 199
- Ohba, Y.
—, Kai, M. and Zaitsu, K.
Simultaneous determination of 7-methylguanine and *O*⁶-methylguanine in DNA by liquid chromatography with postcolumn fluorescence derivatization using 3,4-dimethoxyphenylglyoxal 233
- Ohhashi, T., see Kamei, T. 319
- Ohmi, H., see Higashi, T. 151
- Ohya, Y., see Terato, H. 183
- Okada, T., see Tanigawa, M. 19
- Okada, S., see Tanimoto, T. 285
- Omura, K., see Darwish, I. 121
- Ozawa, K.
—, Fukano, Y., Azuma, T., Masumoto, Y., Hayashi, H., Tamura, A., Miyazaki, J. and Masujima, T.
Simultaneous analysis of membrane potential and calcium mobilization in a pancreatic β -cell line MIN6 by use of a double-probe imaging microscope-system 3
- Ozawa, K., see Tamura, A. 115
- Roy, M., see Fauzi, H. 309
- Saisho, Y., see Kawasaki, S. 205
- Sakamoto, S., see Yoshikawa, M. 59
- Sato, M., see Kurosawa, T. 249
- Shikata, Y.
—, Kuwada, M., Hayashi, Y., Hashimoto, A., Koide, A. and Asakawa, N.
Intelligent peptide-mapping method for recombinant human tissue-type plasminogen activator by lysyl-endopeptidase digestion 241
- Shimada, K., see Higashi, T. 151
- Sonoki, S.
—, Lin, J. and Hisamatsu, S.
Liquid chromatographic determination of 5-methylcytosine in DNA with fluorescence detection 213
- Sueda, S.
—, Ihara, T., Juskowiak, B. and Takagi, M.
Detection of higher-ordered DNA sequence by using terbium(III) luminescence 27
- Sugawara, Y.
—, Hara, C., Tamura, K., Fujii, T., Nakamura, K., Masujima, T. and Aoki, T.
Sedative effect on humans of inhalation of essential oil of linalool: Sensory evaluation and physiological measurements using optically active linalools 293
- Sugawara, Y., see Nakamura, K. 267
- Sugimoto, N., see Kawakami, J. 95
- Sugiura, E., see Tajima, I. 147
- Tajima, I.
—, Asami, O. and Sugiura, E.
Monitor of antibodies in human saliva using a piezoelectric quartz crystal biosensor 147
- Takagi, M., see Ihara, T. 49
- Takagi, M., see Sueda, S. 27
- Takahashi, S., see Katayama, Y. 159
- Takamori, Y., see Asaeda, A. 35
- Takamura, K., see Arai, K. 279
- Takata, J., see Ihara, T. 49
- Takeuchi, T., see Kugimiya, A. 75
- Takeuchi, T., see Matsui, J. 89
- Tamura, A.
—, Khademizadeh, M., Ozawa, K. and Masujima, T.
Direct observation of sample trapping process onto internal-surface reversed-phase pre-column 115
- Tamura, A., see Ozawa, K. 3
- Tamura, K., see Sugawara, Y. 293
- Tanaka, Y., see Hirose, K. 137
- Tanigawa, M.
— and Okada, T.
Atomic force microscopy of supercoiled DNA structure on mica 19
- Tanimoto, T.
—, Maekawa, K., Okada, S. and Yabe-Nishimura, C.
Clinical analysis of aldose reductase for differential diagnosis of the pathogenesis of diabetic complication 285

- Terato, H.
—, Yoshimura, M., Hayashi, M., Ohyama, Y., Yamamoto, O. and Ide, H.
Formation of highly fluorescent adducts between 2'-deoxyguanosine and amino acids by ionizing radiation 183
- Terato, H., see Asaeda, A. 35
- Tohma, M., see Kurosawa, T. 249
- Tomimasu, T., see Awazu, K. 193
- Tsuda, T., see Kamei, T. 259, 319
- Tsuruta, Y., see Inoue, H. 219
- Tsuruta, Y., see Kohashi, K. 177
- Turner, B.M., see Wako, T. 9
- Uchida, K., see Matsuda, Y. 55
- Umeda, T., see Kawasaki, S. 205
- Umeno, D.
—, Kano, T. and Maeda, M.
Affinity adsorption separation of mutagenic molecules by polyacrylamide hydrogels comprising double-stranded DNA 101
- Ushio, H., see Nabuchi, Y. 301
- Wada, H., see Kamei, T. 259
- Wako, T.
—, Fukuda, M., Furushima-Shimogawara, R., Belyaev, N.D., Turner, B.M. and Fukui, K.
Comparative analysis of topographic distribution of acetylated histone H4 by using confocal microscopy and a deconvolution system 9
- Watanabe, T., see Kobayashi, M. 199
- Yabe-Nishimura, C., see Tanimoto, T. 285
- Yamaguchi, M., see Ishida, J. 227
- Yamamoto, O., see Terato, H. 183
- Yamamura, M., see Kobayashi, M. 199
- Yano, K., see McNiven, S. 69
- Ying Wang, H., see Kobayashi, T. 81
- Yoshikawa, K., see Morishima, K. 273
- Yoshikawa, M.
—, Fujisawa, T., Izumi, J., Kitao, T. and Sakamoto, S.
Molecularly imprinted polymeric membranes involving tetrapeptide EQKL derivatives as chiral-recognition sites toward amino acids 59
- Yoshimura, M., see Terato, H. 183
- Yoshimura, T., see Kurosawa, T. 249
- Yoshioka, M., see Darwish, I. 121
- Yoshioka, M., see Hirose, K. 129, 137
- Yoshitake, T., see Ishida, J. 227
- Zaitsu, K., see Ohba, Y. 233

